

# АТАСР

## Технические характеристики

### По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	



## NIGHTFORCE ATACR 4-16X42MM F1 ZEROHOLD .1 MIL-RADIAN DIGILLUM PTL MIL-C C588

SKU C588-NF

### DESCRIPTION

Inspired by the NXS, the **ATACR** family of riflescopes defines Rugged, Reliable, and Repeatable. Overbuilt with mission critical features standard which includes ZeroStop and a choice of illuminated MOA or Mil based ranging reticles. Built from the most rugged materials, ATACR riflescopes deliver benchrest precision even under the harshest conditions.

Fully multi-coated ED glass results in superb light transmission, brilliant images, and exceptional color contrast. With the varying magnification ranges, the ATACR line of scopes can cover almost any situation a shooter may have. Featuring sophisticated reticles, the ATACR leaves nothing to chance. The ATACR from Nightforce redefines the "long" in long range, leaving the possibilities endless.

**Nightforce** is already known for ruggedness and reliability in their riflescope lines, and the ATACR is no exception; building from his foundation, the scope has many features, including:

- Parallax adjustment - 45 yards - infinity
- Focal Plane - First or Second
- Integrated Throw Lever
- Xtreme Speed Thread
- Hi-Speed ZeroStop
- Digillum reticle illumination

Inspired by the NXS, the **ATACR** family of riflescopes defines Rugged, Reliable, and Repeatable. Overbuilt with mission critical features standard which includes ZeroStop and a choice of illuminated MOA or Mil based ranging reticles. Built from the most rugged materials, ATACR riflescopes deliver benchrest precision

even under the harshest conditions.

Fully multi-coated ED glass results in superb light transmission, brilliant images, and exceptional color contrast. With the varying magnification ranges, the ATACR line of scopes can cover almost any situation a shooter may have. Featuring sophisticated reticles, the ATACR leaves nothing to chance. The ATACR from Nightforce redefines the "long" in long range, leaving the possibilities endless.

**Nightforce** is already known for ruggedness and reliability in their riflescope lines, and the ATACR is no exception; building from his foundation, the scope has many features, including:

- Parallax adjustment - 45 yards - infinity
- Integrated Throw Lever
- Xtreme Speed Thread
- Hi-Speed ZeroStop
- Digillum reticle illumination

---

## SPECIFICATIONS

MPN:	<b>C588</b>
UPC:	<b>847362015323</b>
Scope Weight:	<b>30 oz.</b>
Scope Length:	<b>12.6"</b>
Magnification Range:	<b>4-16x</b>
Scope Objective Diameter:	<b>42mm</b>
Scope Tube Size / Mount:	<b>34mm</b>
Scope Turret Adjustment:	<b>.1 Milrad</b>
Reticle Position:	<b>First Focal Plane</b>
Field of View:	<b>26.9 - 6.9 feet</b>
Eye Relief:	<b>3.35 - 3.54"</b>
Illuminated Reticle:	<b>yes</b>
Scope Finish:	<b>matte black</b>
UPC	<b>847362015323</b>
MPN	<b>C588</b>

---



## NIGHTFORCE ENHANCED ATACR 5-25X56 MOAR-T DIGILLUM C555 DEMO

SKU C555-NF-Demo

### DESCRIPTION

The Nightforce Enhanced ATACR 5-25x56 scope with MOAR-T reticle features a Digillum illuminated reticle, Hi-Speed adjustments with ZeroStop, capped windage adjustment, parallax adjustment, enhanced engraved eyepiece, integrated Power Throw Lever, XtremeSpeed thread, fully multi-coated ER glass for 90% transmission, wide field of view, Tenebraex flip covers, and a rugged construction.

Inspired by the NXS, the **ATACR** family of riflescopes defines Rugged, Reliable, and Repeatable. Overbuilt with mission critical features standard which includes ZeroStop and a choice of illuminated MOA or Mil based ranging reticles. Built from the most rugged materials, ATACR riflescopes deliver benchrest precision even under the harshest conditions.

Fully multi-coated ED glass results in superb light transmission, brilliant images, and exceptional color contrast. With the varying magnification ranges, the ATACR line of scopes can cover almost any situation a shooter may have. Featuring sophisticated reticles, the ATACR leaves nothing to chance. The ATACR from Nightforce redefines the "long" in long range, leaving the possibilities endless.

**Nightforce** is already known for ruggedness and reliability in their riflescope lines, and the ATACR is no exception; building from his foundation, the scope has many features, including:

- Parallax adjustment - 45 yards - infinity
- Integrated Throw Lever
- Xtreme Speed Thread
- Hi-Speed ZeroStop
- Digillum reticle illumination

---

## SPECIFICATIONS

MPN:	<b>C555</b>
UPC:	<b>847362008066</b>
Scope Weight:	<b>39oz</b>
Scope Length:	<b>14.3"</b>
Magnification Range:	<b>5-25x</b>
Scope Objective Diameter:	<b>65mm</b>
Scope Tube Size / Mount:	<b>34mm</b>
Scope Turret Adjustment:	<b>1/4 MOA</b>
Reticle Position:	<b>Second Focal Plane</b>
Field of View:	<b>17.96-4.92ft @ 100 yards</b>
Eye Relief:	<b>90mm</b>
Illuminated Reticle:	<b>yes</b>
Scope Finish:	<b>matte black</b>
UPC	<b>847362008066</b>
MPN	<b>C555</b>

---



## ATACR - 7-35X56MM F1 ZEROSTOP .1MRAD DIGILLUM PTL MIL-C C578

SKU C578-NF

### DESCRIPTION

Inspired by the NXS, the **ATACR** family of riflescopes defines Rugged, Reliable, and Repeatable. Overbuilt with mission critical features standard which includes ZeroStop and a choice of illuminated MOA or Mil based ranging reticles. Built from the most rugged materials, ATACR riflescopes deliver benchrest precision even under the harshest conditions.

Fully multi-coated ED glass results in superb light transmission, brilliant images, and exceptional color contrast. With the varying magnification ranges, the ATACR line of scopes can cover almost any situation a shooter may have. Featuring sophisticated reticles, the ATACR leaves nothing to chance. The ATACR from Nightforce redefines the "long" in long range, leaving the possibilities endless.

**Nightforce** is already known for ruggedness and reliability in their riflescope lines, and the ATACR is no exception; building from his foundation, the scope has many features, including:

- Parallax adjustment - 45 yards - infinity
- Integrated Throw Lever
- Xtreme Speed Thread
- Hi-Speed ZeroStop
- Digillum reticle illumination

# SPECIFICATIONS

MPN:	<b>C578</b>
UPC:	<b>847362014685</b>
Scope Weight:	<b>39.3 oz.</b>
Scope Length:	<b>16"</b>
Magnification Range:	<b>7-35x</b>
Scope Objective Diameter:	<b>56mm</b>
Scope Tube Size / Mount:	<b>34mm</b>
Scope Turret Adjustment:	<b>.1 Milrad</b>
Reticle Position:	<b>First Focal Plane</b>
Field of View:	<b>14.97 - 3.44 feet</b>
Eye Relief:	<b>3.26 - 3.58"</b>
Illuminated Reticle:	<b>yes</b>
Scope Finish:	<b>matte black</b>
UPC	<b>847362014685</b>
MPN	<b>C578</b>



## NIGHTFORCE ATACR 4-16X42MM F1 RIFLESCOPE ZEROHOLD .1 MIL-RADIAN CAPPED WINDAGE DIGILLUM 12 MIL PTL MIL-XT C615

SKU C615-NF

### DESCRIPTION

Inspired by the NXS, the **ATACR** family of riflescopes defines Rugged, Reliable, and Repeatable. Overbuilt with mission critical features standard which includes ZeroStop and a choice of illuminated MOA or Mil based ranging reticles. Built from the most rugged materials, ATACR riflescopes deliver benchrest precision even under the harshest conditions.

Fully multi-coated ED glass results in superb light transmission, brilliant images, and exceptional color contrast. With the varying magnification ranges, the ATACR line of scopes can cover almost any situation a shooter may have. Featuring sophisticated reticles, the ATACR leaves nothing to chance. The ATACR from Nightforce redefines the "long" in long range, leaving the possibilities endless.

**Nightforce** is already known for ruggedness and reliability in their rifle scope lines, and the ATACR is no exception; building from his foundation, the scope has many features, including:

- Parallax adjustment - 45 yards - infinity
- Integrated Throw Lever
- Xtreme Speed Thread



- Hi-Speed ZeroStop
- Digillum reticle illumination

---

## SPECIFICATIONS

Scope Weight:	<b>30 oz.</b>
Scope Length:	<b>12.6"</b>
Magnification Range:	<b>4-16x</b>
Scope Objective Diameter:	<b>42mm</b>
Scope Tube Size / Mount:	<b>34mm</b>
Scope Turret Adjustment:	<b>.1 Mrad per click</b>
Reticle Position:	<b>First Focal Plane</b>
Field of View:	<b>4x: 26.9 ft @ 100 yards</b> <b>16x: 6.9 ft @ 100 yards</b>
Eye Relief:	<b>3.35-3.54"</b>
Illuminated Reticle:	<b>yes</b>
Scope Finish:	<b>matte black</b>
UPC	<b>847362016450</b>
MPN	<b>C615</b>

---

---

# ATACR - 5-25X56MM F1 - ZEROSTOP - .1 MIL-RADIAN - DIGILLUM- PTL - H59 LIKE NEW DEMO

SKU C577-NF\_LN

---

## SPECIFICATIONS

Illuminated Reticle:	<b>yes</b>
Scope Finish:	<b>matte black</b>
UPC	<b>847362014678</b>
MPN	<b>C577</b>

---



## NIGHTFORCE ATACR - 5-25X56MM F1 ZEROSTOP .1 MIL-RADIAN DIGILLUM PTL MIL-XT C616

SKU C616-NF

### DESCRIPTION

Inspired by the NXS, the **ATACR** family of riflescopes defines Rugged, Reliable, and Repeatable. Overbuilt with mission critical features standard which includes ZeroStop and a choice of illuminated MOA or Mil based ranging reticles. Built from the most rugged materials, ATACR riflescopes deliver benchrest precision even under the harshest conditions.

Fully multi-coated ED glass results in superb light transmission, brilliant images, and exceptional color contrast. With the varying magnification ranges, the ATACR line of scopes can cover almost any situation a shooter may have. Featuring sophisticated reticles, the ATACR leaves nothing to chance. The ATACR from Nightforce redefines the "long" in long range, leaving the possibilities endless.

**Nightforce** is already known for ruggedness and reliability in their rifle scope lines, and the ATACR is no exception; building from his foundation, the scope has many features, including:

- Parallax adjustment - 45 yards - infinity
- Integrated Throw Lever
- Xtreme Speed Thread
- Hi-Speed ZeroStop

- Digillum reticle illumination

---

## SPECIFICATIONS

Scope Weight:	<b>38 oz.</b>
Scope Length:	<b>15.37"</b>
Magnification Range:	<b>5-25x</b>
Scope Objective Diameter:	<b>56mm</b>
Scope Tube Size / Mount:	<b>34mm</b>
Scope Turret Adjustment:	<b>.1 Milradian; 12 Mils per revolution</b>
Reticle Position:	<b>First Focal Plane</b>
Field of View:	<b>5x: 18.7ft @ 100 yards 25x: 4.92ft @ 100 yards</b>
Eye Relief:	<b>3.35-3.54"</b>
Illuminated Reticle:	<b>yes</b>
Scope Finish:	<b>matte black</b>
UPC	<b>847362016467</b>
MPN	<b>C616</b>

---



## NIGHTFORCE ATACR 4-16X42 F1 ZH .1MRAD ILLUM PTL TREMOR3 C575

SKU C575-NF

### DESCRIPTION

Inspired by the NXS, the **ATACR** family of riflescopes defines Rugged, Reliable, and Repeatable. Overbuilt with mission critical features standard which includes ZeroStop and a choice of illuminated MOA or Mil based ranging reticles. Built from the most rugged materials, ATACR riflescopes deliver benchrest precision even under the harshest conditions.

Fully multi-coated ED glass results in superb light transmission, brilliant images, and exceptional color contrast. With the varying magnification ranges, the ATACR line of scopes can cover almost any situation a shooter may have. Featuring sophisticated reticles, the ATACR leaves nothing to chance. The ATACR from Nightforce redefines the "long" in long range, leaving the possibilities endless.

**Nightforce** is already known for ruggedness and reliability in their rifle scope lines, and the ATACR is no exception; building from his foundation, the scope has many features, including:

- Parallax adjustment - 45 yards - infinity
- Integrated Throw Lever
- Xtreme Speed Thread
- Hi-Speed ZeroStop

- Digillum reticle illumination

---

## SPECIFICATIONS

Scope Weight:	<b>30oz</b>
Scope Length:	<b>12.6"</b>
Magnification Range:	<b>4-16x</b>
Scope Objective Diameter:	<b>50mm</b>
Scope Tube Size / Mount:	<b>34mm</b>
Scope Turret Adjustment:	<b>.1 MilRadian; 12 Mils per revolution 26 mils elevation and 18 mils windage</b>
Reticle Position:	<b>First Focal Plane</b>
Field of View:	<b>4x: 26.9 ft @ 100 yards 16x: 6.9 ft @ 100 yards</b>
Eye Relief:	<b>3.35-3.54"</b>
Illuminated Reticle:	<b>yes</b>
Scope Finish:	<b>matte black</b>
UPC	<b>847362014654</b>
MPN	<b>C575</b>

---



## NIGHTFORCE ATACR 4-16X42MM F1 ZEROHOLD .250 MOA DIGILLUM PTL MOAR C542 SHOW DEMO

SKU C542-NF\_LN

### DESCRIPTION

This **Nightforce ATACR F1** 4-16x42mm riflescope with a Digillum MOAR reticle and .250 MOA is compact yet powerful. Features include ZeroHold, power throw lever, fully multi-coated ED glass lenses, capped windage adjustment, parallax adjustment, XtremeSpeed thread for a fast diopter adjustment, and first focal plane reticles for fast hold-off adjustments and precise ranging calculations.

### SPECIFICATIONS

MPN:	<b>C542</b>
UPC:	<b>847362007939</b>
Scope Weight:	<b>30oz</b>
Scope Length:	<b>12.6"</b>
Magnification Range:	<b>4-16x</b>
Scope Objective Diameter:	<b>42mm</b>
Scope Tube Size / Mount:	<b>34mm</b>
Scope Turret Adjustment:	<b>30 MOA per revolution</b>

Reticle Position:

**First Focal Plane**

Field of View:

**4x: 26.9 ft @ 100 yards**

**16x: 6.9 ft @ 100 yards**

Eye Relief:

**3.35-3.54"**

Illuminated Reticle:

**yes**

Scope Finish:

**matte black**

UPC

**847362007939**

MPN

**C542**





## NIGHTFORCE ATACR 5-25X56 MOAR C553 LIKE NEW DEMO

SKU C553-NF\_LN

---

### DESCRIPTION

Inspired by the NXS, the **ATACR** family of riflescopes defines Rugged, Reliable, and Repeatable. Overbuilt with mission critical features standard which includes ZeroStop and a choice of illuminated MOA or Mil based ranging reticles. Built from the most rugged materials, ATACR riflescopes deliver benchrest precision even under the harshest conditions.

Fully multi-coated ED glass results in superb light transmission, brilliant images, and exceptional color contrast. With the varying magnification ranges, the ATACR line of scopes can cover almost any situation a shooter may have. Featuring sophisticated reticles, the ATACR leaves nothing to chance. The ATACR from Nightforce redefines the "long" in long range, leaving the possibilities endless.

**Nightforce** is already known for ruggedness and reliability in their rifle scope lines, and the ATACR is no exception; building from his foundation, the scope has many features, including:

- Parallax adjustment - 45 yards - infinity
- Integrated Throw Lever
- Xtreme Speed Thread
- Hi-Speed ZeroStop
- Digillum reticle illumination

Redefining long range, this **Nightforce Enhanced ATACR 5-25x56** scope with MOAR reticle features Digillum, Hi-Speed adjustments with ZeroStop, capped windage adjustment, parallax adjustment, enhanced engraved eyepiece, integrated Power Throw Lever, XtremeSpeed thread, fully multi-coated ER glass for 90% transmission, wide field of view, Tenebraex flip covers, and a rugged construction.

---

## SPECIFICATIONS

Scope Weight:	<b>39oz</b>
Scope Length:	<b>14.3"</b>
Magnification Range:	<b>5-25x</b>
Scope Objective Diameter:	<b>56mm</b>
Scope Tube Size / Mount:	<b>34mm</b>
Scope Turret Adjustment:	<b>.25 MOA</b>
Reticle Position:	<b>Second Focal Plane</b>
Field of View:	<b>17.96-4.92ft @ 100 yards</b>
Eye Relief:	<b>90mm</b>
Illuminated Reticle:	<b>yes</b>
Scope Finish:	<b>matte black</b>
UPC	<b>847362008042</b>
MPN	<b>C553</b>

---



## NIGHTFORCE ATACR 7-35X56 \*SFP\* ZEROSTOP 0.1 MRAD MIL-C DIGILLUM PTL LIKE NEW DEMO RIFLESCOPE C627

SKU C627\_LN

### DESCRIPTION

Inspired by the NXS, the **ATACR** family of riflescopes defines Rugged, Reliable, and Repeatable. Overbuilt with mission critical features standard which includes ZeroStop and a choice of illuminated MOA or Mil based ranging reticles. Built from the most rugged materials, ATACR riflescopes deliver benchrest precision even under the harshest conditions.

Fully multi-coated ED glass results in superb light transmission, brilliant images, and exceptional color contrast. With the varying magnification ranges, the ATACR line of scopes can cover almost any situation a shooter may have. Featuring sophisticated reticles, the ATACR leaves nothing to chance. The ATACR from Nightforce redefines the "long" in long range, leaving the possibilities endless.

**Nightforce** is already known for ruggedness and reliability in their rifle scope lines, and the ATACR is no exception; building from his foundation, the scope has many features, including:

- Parallax adjustment - 45 yards - infinity
- Integrated Throw Lever
- Xtreme Speed Thread
- Hi-Speed ZeroStop

- Digillum reticle illumination

---

## SPECIFICATIONS

Scope Weight:	<b>39.3 oz.</b>
Scope Length:	<b>16"</b>
Magnification Range:	<b>7-35x</b>
Scope Objective Diameter:	<b>56mm</b>
Scope Tube Size / Mount:	<b>34mm</b>
Scope Turret Adjustment:	<b>.1 Mrad per Click</b> <b>Elevation: 29 Mrad Total</b> <b>Windage: 17 Mrad Total</b>
Reticle Position:	<b>Second Focal Plane</b>
Field of View:	<b>7x: 97.0 ft</b> <b>35x: 3.44 ft</b>
Eye Relief:	<b>3.5"</b>
Illuminated Reticle:	<b>yes</b>
Scope Finish:	<b>matte black</b>
UPC	<b>847362016757</b>
MPN	<b>C627</b>

---



## NIGHTFORCE ATACR 7-35X56 F1 ZS .1MRAD ILLUM PTL MIL-R C570 LIKE NEW DEMO

SKU C570-NF\_LN

### DESCRIPTION

Inspired by the NXS, the **ATACR** family of riflescopes defines Rugged, Reliable, and Repeatable. Overbuilt with mission critical features standard which includes ZeroStop and a choice of illuminated MOA or Mil based ranging reticles. Built from the most rugged materials, ATACR riflescopes deliver benchrest precision even under the harshest conditions.

Fully multi-coated ED glass results in superb light transmission, brilliant images, and exceptional color contrast. With the varying magnification ranges, the ATACR line of scopes can cover almost any situation a shooter may have. Featuring sophisticated reticles, the ATACR leaves nothing to chance. The ATACR from Nightforce redefines the "long" in long range, leaving the possibilities endless.

**Nightforce** is already known for ruggedness and reliability in their riflescope lines, and the ATACR is no exception; building from his foundation, the scope has many features, including:

- Parallax adjustment - 45 yards - infinity
- Integrated Throw Lever
- Xtreme Speed Thread
- Hi-Speed ZeroStop
- Digillum reticle illumination

# SPECIFICATIONS

Scope Weight:	<b>39.3 oz</b>
Scope Length:	<b>16.0"</b>
Magnification Range:	<b>7x-35x</b>
Scope Objective Diameter:	<b>56mm</b>
Scope Tube Size / Mount:	<b>34mm</b>
Scope Turret Adjustment:	<b>.1 mrad adjustments 27 mrad Elevation 16 mrad Windage 12 mrad/revolution</b>
Reticle Position:	<b>FFP</b>
Field of View:	<b>7x: 15ft; 35x 3.4ft (@ 100yds)</b>
Eye Relief:	<b>83-91mm/3.3-3.6"</b>
Illuminated Reticle:	<b>yes</b>
Scope Finish:	<b>matte black</b>
UPC	<b>847362014517</b>
MPN	<b>C570</b>



## NIGHTFORCE ATACR 7-35X56 ZEROSTOP .25 MOA MOAR-T DIGILLUM PTL RIFLESCOPE C626

SKU C626-NF

### DESCRIPTION

Inspired by the NXS, the **ATACR** family of riflescopes defines Rugged, Reliable, and Repeatable. Overbuilt with mission critical features standard which includes ZeroStop and a choice of illuminated MOA or Mil based ranging reticles. Built from the most rugged materials, ATACR riflescopes deliver benchrest precision even under the harshest conditions.

Fully multi-coated ED glass results in superb light transmission, brilliant images, and exceptional color contrast. With the varying magnification ranges, the ATACR line of scopes can cover almost any situation a shooter may have. Featuring sophisticated reticles, the ATACR leaves nothing to chance. The ATACR from Nightforce redefines the "long" in long range, leaving the possibilities endless.

**Nightforce** is already known for ruggedness and reliability in their rifle scope lines, and the ATACR is no exception; building from his foundation, the scope has many features, including:

- Parallax adjustment - 45 yards - infinity
- Integrated Throw Lever
- Xtreme Speed Thread
- Hi-Speed ZeroStop

- Digillum reticle illumination

---

## SPECIFICATIONS

Scope Weight:	<b>39.3 oz</b>
Scope Length:	<b>16"</b>
Magnification Range:	<b>7-35x</b>
Scope Objective Diameter:	<b>56mm</b>
Scope Tube Size / Mount:	<b>34mm</b>
Scope Turret Adjustment:	<b>.25 MOA per Click Elevation: 100 MOA Total Windage: 60 MOA Total</b>
Reticle Position:	<b>Second Focal Plane</b>
Field of View:	<b>7x: 97.0 ft 35x: 3.44 ft</b>
Eye Relief:	<b>3.5"</b>
Illuminated Reticle:	<b>yes</b>
Scope Finish:	<b>matte black</b>
UPC	<b>847362016740</b>
MPN	<b>C626</b>

---





## NIGHTFORCE ATACR 7-35X56 ZEROSTOP 0.1 MRAD MIL-C DIGILLUM PTL RIFLESCOPE C627

SKU C627-NF

### DESCRIPTION

Inspired by the NXS, the **ATACR** family of riflescopes defines Rugged, Reliable, and Repeatable. Overbuilt with mission critical features standard which includes ZeroStop and a choice of illuminated MOA or Mil based ranging reticles. Built from the most rugged materials, ATACR riflescopes deliver benchrest precision even under the harshest conditions.

Fully multi-coated ED glass results in superb light transmission, brilliant images, and exceptional color contrast. With the varying magnification ranges, the ATACR line of scopes can cover almost any situation a shooter may have. Featuring sophisticated reticles, the ATACR leaves nothing to chance. The ATACR from Nightforce redefines the "long" in long range, leaving the possibilities endless.

**Nightforce** is already known for ruggedness and reliability in their rifle scope lines, and the ATACR is no exception; building from his foundation, the scope has many features, including:

- Parallax adjustment - 45 yards - infinity
- Integrated Throw Lever
- Xtreme Speed Thread
- Hi-Speed ZeroStop

- Digillum reticle illumination

---

## SPECIFICATIONS

Scope Weight:	<b>39.3 oz.</b>
Scope Length:	<b>16"</b>
Magnification Range:	<b>7-35x</b>
Scope Objective Diameter:	<b>56mm</b>
Scope Tube Size / Mount:	<b>34mm</b>
Scope Turret Adjustment:	<b>.1 Mrad per Click Elevation: 29 Mrad Total Windage: 17 Mrad Total</b>
Reticle Position:	<b>Second Focal Plane</b>
Field of View:	<b>7x: 97.0 ft 35x: 3.44 ft</b>
Eye Relief:	<b>3.5"</b>
Illuminated Reticle:	<b>yes</b>
Scope Finish:	<b>matte black</b>
UPC	<b>847362016757</b>
MPN	<b>C627</b>

---



## NIGHTFORCE ATACR 7-35X56MM F1 ZEROSTOP .1MRAD DIGILLUM PTL MIL-XT SHOWROOM DEMO RIFLESCOPE C613

SKU C613-NF\_LN

### DESCRIPTION

Inspired by the NXS, the **ATACR** family of riflescopes defines Rugged, Reliable, and Repeatable. Overbuilt with mission critical features standard which includes ZeroStop and a choice of illuminated MOA or Mil based ranging reticles. Built from the most rugged materials, ATACR riflescopes deliver benchrest precision even under the harshest conditions.

Fully multi-coated ED glass results in superb light transmission, brilliant images, and exceptional color contrast. With the varying magnification ranges, the ATACR line of scopes can cover almost any situation a shooter may have. Featuring sophisticated reticles, the ATACR leaves nothing to chance. The ATACR from Nightforce redefines the "long" in long range, leaving the possibilities endless.

**Nightforce** is already known for ruggedness and reliability in their rifle scope lines, and the ATACR is no exception; building from his foundation, the scope has many features, including:

- Parallax adjustment - 45 yards - infinity
- Integrated Throw Lever
- Xtreme Speed Thread
- Hi-Speed ZeroStop

- Digillum reticle illumination

---

## SPECIFICATIONS

Scope Weight:	<b>39.3oz</b>
Scope Length:	<b>16.0"</b>
Magnification Range:	<b>7-35x</b>
Scope Objective Diameter:	<b>56mm</b>
Scope Tube Size / Mount:	<b>34mm</b>
Scope Turret Adjustment:	<b>.1 mrad [adjustment] 29 mrad [elevation] 18 mrad [windage] 12 mrad [per revolution]</b>
Reticle Position:	<b>First Focal Plane</b>
Field of View:	<b>7x: 15ft; 35x 3.4ft (@ 100yds)</b>
Eye Relief:	<b>83-91mm/3.3-3.6"</b>
Illuminated Reticle:	<b>yes</b>
Scope Finish:	<b>matte black</b>
UPC	<b>847362016399</b>
MPN	<b>C613</b>

---

# ATACR - 1-8x24mm F1

SKU: C653

Select Color



The ATACR™ 1-8×24 riflescope is designed and built to be the ultimate low-power variable riflescope. It includes pristine ED glass, bright daylight illumination, an intelligent reticle, very low-profile adjustments and bomb-proof reliability, with a field of view at 1x equivalent to open sights... but vastly more precise.

It measures just over 10 inches in length and weighs 21 ounces, with a streamlined profile. The daylight visible, center red dot allows for rapid engagements like a red-dot sight.

Unlike a red-dot, however, the 1-8x provides up to 8x zoom to help locate, identify and engage targets at the maximum effective range of most rifles. The intelligent FC-DMx first focal plane reticle provides precise hold and hold-off points. The low-profile turrets are capped to prevent accidental adjustment and offer true .1 Mil-Radian adjustment. To aid in fast magnification adjustments, an integrated Power Throw Lever (PTL) is included.



- Tenebraex Flip Up Covers
- Cleaning Fob/ Cleaning Cloth
- Multi-Tool
- Power Throw Lever
- Stickers
- Owners Manual
- 2x Windage Beauty Ring

## Specifications

---

<b>Magnification Range</b>	1-8x
<b>Focal Plane</b>	First Focal Plane (F1/FFP)
<b>Body Tube Diameter</b>	34mm
<b>Overall Length</b>	10.1in/256 mm
<b>Mounting Length</b>	5.7 in/144 mm
<b>Weight</b>	21.0 oz/595 g
<b>Click Value</b>	.1 MRAD
<b>Internal Adjustment Range</b>	E: 30 MRAD W: 30 MRAD
<b>Parallax Adjustment</b>	Fixed @ 125 m
<b>Eye Relief</b>	3.7 in/95 mm
<b>Field of View @ 100 yd or m</b>	1x: 96.1 ft/32.0 m 8x: 13.1 ft/4.4 m
<b>Exit Pupil</b>	1x: 11.3 mm 8x: 3.2 mm
<b>Illumination</b>	Daylight visible, Externally adjustable, Two night vision settings
<b>Elevation Feature</b>	Capped, finger-adjustable
<b>Power Throw Lever</b>	Standard

# ATACR - 4-20x50 F1

SKU: C642

New for 2021, the 4-20x50 F1 fills an important magnification range in the ATACR line. Equally at home atop a bolt action or a semi-automatic rifle, the 4-20x50 F1 is smaller and lighter than the 5-25x56 F1 while offering a 25% improvement in magnification over the 4-16x42 F1. With Digillum, a ZeroStop turret, power throw lever, ED lenses, and 20x max magnification, the ATACR 4-20x50 F1 is our apex mid-power scope.



- Tenebraex Flip Up Covers
- Cleaning Fob/ Cleaning Cloth
- Multi-Tool
- Power Throw Lever
- Stickers
- Owners Manual
- Windage Beauty Ring
- Sunshade

## Specifications

<b>Magnification Range</b>	4-20x
<b>Focal Plane</b>	First Focal Plane (F1/FFP)
<b>Body Tube Diameter</b>	34mm

---

<b>Overall Length</b>	13.9 in/353 mm
<b>Mounting Length</b>	5.9 in/150 mm
<b>Weight</b>	35.2 oz/998 g
<b>Click Value</b>	.250 MOA or .1 MRAD
<b>Internal Adjustment Range</b>	E: 130 MOA/38 MRAD W: 100 MOA/29 MRAD
<b>Parallax Adjustment</b>	11 yd–∞
<b>Eye Relief</b>	3.5 in/90 mm
<b>Field of View @ 100 yd or m</b>	4x: 23.6 ft/7.9 m 20x: 6.1 ft/2.0 m
<b>Exit Pupil</b>	4x: 8.3 mm 20x: 2.5 mm
<b>Illumination</b>	Digillum
<b>Elevation Feature</b>	ZeroStop
<b>Power Throw Lever</b>	Standard

---



**По вопросам продаж и поддержки обращайтесь:**

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	