

NX8

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	



NIGHTFORCE NX8 1-8X24MM F1 - ZEROSTOP - .2MRAD CAPPED WINDAGE PTL FC-MIL C598 SHOW DEMO

SKU C598-NF_LN

DESCRIPTION

True, daylight-visible **Nightforce NX8** riflescopes are compact and capable - and adhere to Nightforce's mantra of Rugged, Reliable, and Repeatable.

Optimized toward fast target acquisition and short- to mid-range shooting, the Nightforce NX8 F1 features a 1-8x magnification range, a 24mm objective lens, and a first focal plane reticle. The compact profile of the NX8 (only 8.75" long and 17 ounces) allows Nightforce to implement their signature superior optics in a small package that doesn't add a large signature or weight commitment.

There are two current options available for the Nightforce NX8:

- Nightforce NX8 1-8x24mm F1 - ZeroStop - .2mrad Capped Windage PTL FC-Mil C598
- Nightforce NX8 1-8x24mm F1 - ZeroStop - .5 MOA Capped Windage PTL FC-MOA C600

Nightforce NX8 Features

- Daylight-visible center red dot promotes fast target acquisition, with "Off" settings in between each brightness setting
- Intelligent FC-Mil and FC-MOA first focal plane reticles provide precise hold points via subtensions

- ZeroStop elevation turret allows for quick, precise elevation adjustments via dialing, with rapid and positive return to zero
- .2 Mil-Radian OR .5 MOA elevation increments (depending on model)
- Integrated Power Throw Lever (PTL)
- 30mm Body Tube with rugged construction balanced with light weight
- Capped windage adjustment

SPECIFICATIONS

MPN:	C598
UPC:	847362015514
Scope Weight:	17 oz.
Scope Length:	8.75" (Mounting Length 5.67")
Magnification Range:	1-8x
Scope Objective Diameter:	24mm
Scope Tube Size / Mount:	30mm
Scope Turret Adjustment:	Click Value .2 MRad 30 MRad Total Elevation 30 MRad Total Windage
Reticle Position:	First Focal Plane
Field of View:	106.0 ft @ 100 Yards (1x) 13.2 ft @ 100 Yards (8x)
Eye Relief:	95.3 mm / 3.75"
Illuminated Reticle:	yes
Scope Finish:	matte black
UPC	847362015514
MPN	C598



NIGHTFORCE NX8 1-8X24MM F1 - ZEROSTOP - .5 MOA CAPPED WINDAGE PTL FC-MOA C600 SHOWROOM DEMO

SKU C600-NF_LN

DESCRIPTION

True, daylight-visible **Nightforce NX8** riflescopes are compact and capable - and adhere to Nightforce's mantra of Rugged, Reliable, and Repeatable.

Optimized toward fast target acquisition and short- to mid-range shooting, the Nightforce NX8 F1 features a 1-8x magnification range, a 24mm objective lens, and a first focal plane reticle. The compact profile of the NX8 (only 8.75" long and 17 ounces) allows Nightforce to implement their signature superior optics in a small package that doesn't add a large signature or weight commitment.

There are two current options available for the Nightforce NX8:

- Nightforce NX8 1-8x24mm F1 - ZeroStop - .2mrad Capped Windage PTL FC-Mil C598
- Nightforce NX8 1-8x24mm F1 - ZeroStop - .5 MOA Capped Windage PTL FC-MOA C600

Nightforce NX8 Features

- Daylight-visible center red dot promotes fast target acquisition, with "Off" settings in between each brightness setting
- Intelligent FC-Mil and FC-MOA first focal plane reticles provide precise hold points via subtensions

- ZeroStop elevation turret allows for quick, precise elevation adjustments via dialing, with rapid and positive return to zero
- .2 Mil-Radian OR .5 MOA elevation increments (depending on model)
- Integrated Power Throw Lever (PTL)
- 30mm Body Tube with rugged construction balanced with light weight
- Capped windage adjustment

SPECIFICATIONS

MPN:	C600
UPC:	847362015538
Scope Weight:	17 oz
Scope Length:	8.75" (Mounting Length 5.67")
Magnification Range:	1-8x
Scope Objective Diameter:	24mm
Scope Tube Size / Mount:	30mm
Scope Turret Adjustment:	.5 MOA Click Value 100 MOA Total Elevation Adjustment 100 MOA Total Windage Adjustment
Reticle Position:	First Focal Plane
Field of View:	106.0 ft @ 100 Yards (1x) 13.2 ft @ 100 Yards (8x)
Eye Relief:	95.3 mm / 3.75"
Illuminated Reticle:	yes
Scope Finish:	matte black
UPC	847362015538
MPN	C600



NIGHTFORCE NX8 2.5-20X50 F2 .1 MRAD MOAR-CF2 RIFLESCOPE C639

SKU C639-NF

DESCRIPTION

New for 2020, the **NX8 2.5-20x50 F2 riflescope** is an ultra-compact and capable riflescope. Building upon the legendary durability of the NXS family from Nightforce, the NX8 F2 brings second focal plane versatility to the NX8 lineup. This wide zoom range allows for fast engagements at close range along with the ability to detect, identify and engage targets at long range.

Other features include the ZeroStop elevation adjustment for a rapid return to zero. The 50mm objective is optimized for resolution and light transmission, with a parallax adjustment coming as close as 11 yards. The integrated PTL (Power Throw Lever) makes power changes fast and easy. The performance available in such a compact size makes the **NX8 2.5-20x50 F2** a perfect choice for your favorite semi-auto precision rifle or compact bolt-action rifle.

Features of the Nightforce NX8 2.5-20x50 F2 Riflescope

- 8x zoom range, 2.5x to 20x magnification
- ED (Extra-low Dispersion) glass for superior image quality
- Compact length at 12.0"
- ZeroStop elevation adjustment for rapid and easy return to zero
- Integrated PTL (Power Throw Lever)

- Locking diopter adjustment

SPECIFICATIONS

Scope Weight:	28.6 oz.
Scope Length:	12.1"
Magnification Range:	2.5-20x
Scope Objective Diameter:	50mm
Scope Tube Size / Mount:	30mm
Scope Turret Adjustment:	.25 MOA
Reticle Position:	Second Focal Plane
Field of View:	36.7 ft - 6.1 ft @ 100 yds
Eye Relief:	3.5"
Illuminated Reticle:	yes
Scope Finish:	matte black
UPC	847362018102
MPN	C639



NIGHTFORCE NX8 2.5-20X50 F2 .1 MRAD MIL-CF2 RIFLESCOPE C638

SKU C638-NF

DESCRIPTION

New for 2020, the **NX8 2.5-20x50 F2 riflescope** is an ultra-compact and capable riflescope. Building upon the legendary durability of the NXS family from Nightforce, the NX8 F2 brings second focal plane versatility to the NX8 lineup. This wide zoom range allows for fast engagements at close range along with the ability to detect, identify and engage targets at long range.

Other features include the ZeroStop elevation adjustment for a rapid return to zero. The 50mm objective is optimized for resolution and light transmission, with a parallax adjustment coming as close as 11 yards. The integrated PTL (Power Throw Lever) makes power changes fast and easy. The performance available in such a compact size makes the **NX8 2.5-20x50 F2** a perfect choice for your favorite semi-auto precision rifle or compact bolt-action rifle.

Features of the Nightforce NX8 2.5-20x50 F2 Riflescope

- 8x zoom range, 2.5x to 20x magnification
- ED (Extra-low Dispersion) glass for superior image quality
- Compact length at 12.0"
- ZeroStop elevation adjustment for rapid and easy return to zero
- Integrated PTL (Power Throw Lever)

- Locking diopter adjustment

SPECIFICATIONS

Scope Weight:	28.6 oz.
Scope Length:	12.1"
Magnification Range:	2.5-20x
Scope Objective Diameter:	50mm
Scope Tube Size / Mount:	30mm
Scope Turret Adjustment:	.1 MRAD
Reticle Position:	Second Focal Plane
Field of View:	36.7 ft - 6.1 ft @ 100 yds
Eye Relief:	3.5"
Illuminated Reticle:	yes
Scope Finish:	matte black
UPC	847362018096
MPN	C638



NIGHTFORCE NX8 2.5-20X50 MIL-C C623

SKU C623-NF

DESCRIPTION

The **NX8 2.5-20x50 F1 riflescope** is an ultra-compact and capable riflescope. Building upon the legendary durability of the NXS family from Nightforce, the NX8 adds first focal plane performance with an 8x zoom range in a small package. This wide zoom range allows for fast engagements at close range along with the ability to detect, identify and engage targets at long range.

Other features include the ZeroStop elevation adjustment for a rapid return to zero. The 50mm objective is optimized for resolution and light transmission, with a parallax adjustment coming as close as 11 yards. The integrated PTL (Power Throw Lever) makes power changes fast and easy. The performance available in such a compact size makes the **NX8 2.5-20x50 F1** a perfect choice for your favorite semi-auto precision rifle or compact bolt-action rifle.

Features of the Nightforce NX8 2.5-20x50 F1 Riflescope

- 8x zoom range, 2.5x to 20x magnification
- ED (Extra-low Dispersion) glass for superior image quality
- Compact length at 12.0"
- ZeroStop elevation adjustment for rapid and easy return to zero
- Integrated PTL (Power Throw Lever)
- Locking diopter adjustment

SPECIFICATIONS

Scope Weight:	28.3 oz
Scope Length:	12"
Magnification Range:	2.5-20x
Scope Objective Diameter:	50mm
Scope Tube Size / Mount:	30mm
Scope Turret Adjustment:	0.1 mil per click
Reticle Position:	First Focal Plane
Field of View:	41.8 - 7ft @ 100yds 13.9 - 2.3m @ 100m
Eye Relief:	3.44"
Illuminated Reticle:	yes
Scope Finish:	matte black
UPC	847362016719
MPN	C623



NIGHTFORCE NX8 2.5-20X50 MIL-C LIKE NEW DEMO RIFLESCOPE C623

SKU C623-NF_LN

DESCRIPTION

The **NX8 2.5-20x50 F1 riflescope** is an ultra-compact and capable riflescope. Building upon the legendary durability of the NXS family from Nightforce, the NX8 adds first focal plane performance with an 8x zoom range in a small package. This wide zoom range allows for fast engagements at close range along with the ability to detect, identify and engage targets at long range.

Other features include the ZeroStop elevation adjustment for a rapid return to zero. The 50mm objective is optimized for resolution and light transmission, with a parallax adjustment coming as close as 11 yards. The integrated PTL (Power Throw Lever) makes power changes fast and easy. The performance available in such a compact size makes the **NX8 2.5-20x50 F1** a perfect choice for your favorite semi-auto precision rifle or compact bolt-action rifle.

Features of the Nightforce NX8 2.5-20x50 F1 Riflescope

- 8x zoom range, 2.5x to 20x magnification
- ED (Extra-low Dispersion) glass for superior image quality
- Compact length at 12.0"
- ZeroStop elevation adjustment for rapid and easy return to zero
- Integrated PTL (Power Throw Lever)

- Locking diopter adjustment

SPECIFICATIONS

Scope Weight:	28.3 oz
Scope Length:	12"
Magnification Range:	2.5-20x
Scope Objective Diameter:	50mm
Scope Tube Size / Mount:	30mm
Scope Turret Adjustment:	0.1 mil per click
Reticle Position:	First Focal Plane
Field of View:	41.8 - 7ft @ 100yds 13.9 - 2.3m @ 100m
Eye Relief:	3.44"
Illuminated Reticle:	yes
Scope Finish:	matte black
UPC	847362016719
MPN	C623



NIGHTFORCE NX8 2.5-20X50 MIL-XT RIFLESCOPE C632

SKU C632-NF

DESCRIPTION

The **NX8 2.5-20x50 F1 riflescope** is an ultra-compact and capable riflescope. Building upon the legendary durability of the NXS family from Nightforce, the NX8 adds first focal plane performance with an 8x zoom range in a small package. This wide zoom range allows for fast engagements at close range along with the ability to detect, identify and engage targets at long range.

Other features include the ZeroStop elevation adjustment for a rapid return to zero. The 50mm objective is optimized for resolution and light transmission, with a parallax adjustment coming as close as 11 yards. The integrated PTL (Power Throw Lever) makes power changes fast and easy. The performance available in such a compact size makes the **NX8 2.5-20x50 F1** a perfect choice for your favorite semi-auto precision rifle or compact bolt-action rifle.

Features of the Nightforce NX8 2.5-20x50 F1 Riflescope

- 8x zoom range, 2.5x to 20x magnification
- ED (Extra-low Dispersion) glass for superior image quality
- Compact length at 12.0"
- ZeroStop elevation adjustment for rapid and easy return to zero
- Integrated PTL (Power Throw Lever)
- Locking diopter adjustment

SPECIFICATIONS

Scope Weight:	28.3 oz
Scope Length:	12"
Magnification Range:	2.5-20x
Scope Objective Diameter:	50mm
Scope Tube Size / Mount:	30mm
Scope Turret Adjustment:	0.1 mil per click
Reticle Position:	First Focal Plane
Field of View:	41.8 - 7ft @ 100yds 13.9 - 2.3m @ 100m
Eye Relief:	3.44"
Illuminated Reticle:	Yes, Digillum
Scope Finish:	Black
UPC	847362017167
MPN	C632



NIGHTFORCE NX8 2.5-20X50 MIL-XT RIFLESCOPE C632 LIKE NEW DEMO

SKU C632-NF_LN

DESCRIPTION

The **NX8 2.5-20x50 F1 riflescope** is an ultra-compact and capable riflescope. Building upon the legendary durability of the NXS family from Nightforce, the NX8 adds first focal plane performance with an 8x zoom range in a small package. This wide zoom range allows for fast engagements at close range along with the ability to detect, identify and engage targets at long range.

Other features include the ZeroStop elevation adjustment for a rapid return to zero. The 50mm objective is optimized for resolution and light transmission, with a parallax adjustment coming as close as 11 yards. The integrated PTL (Power Throw Lever) makes power changes fast and easy. The performance available in such a compact size makes the **NX8 2.5-20x50 F1** a perfect choice for your favorite semi-auto precision rifle or compact bolt-action rifle.

Features of the Nightforce NX8 2.5-20x50 F1 Riflescope

- 8x zoom range, 2.5x to 20x magnification
- ED (Extra-low Dispersion) glass for superior image quality
- Compact length at 12.0"
- ZeroStop elevation adjustment for rapid and easy return to zero
- Integrated PTL (Power Throw Lever)

- Locking diopter adjustment

SPECIFICATIONS

Scope Weight:	28.3 oz
Scope Length:	12"
Magnification Range:	2.5-20x
Scope Objective Diameter:	50mm
Scope Tube Size / Mount:	30mm
Scope Turret Adjustment:	0.1 mil per click
Reticle Position:	First Focal Plane
Field of View:	41.8 - 7ft @ 100yds 13.9 - 2.3m @ 100m
Eye Relief:	3.44"
Illuminated Reticle:	yes
Scope Finish:	matte black
UPC	847362017167
MPN	C632



NIGHTFORCE NX8 2.5-20X50 MOAR C622

SKU C622-NF

DESCRIPTION

The **NX8 2.5-20x50 F1 riflescope** is an ultra-compact and capable riflescope. Building upon the legendary durability of the NXS family from Nightforce, the NX8 adds first focal plane performance with an 8x zoom range in a small package. This wide zoom range allows for fast engagements at close range along with the ability to detect, identify and engage targets at long range.

Other features include the ZeroStop elevation adjustment for a rapid return to zero. The 50mm objective is optimized for resolution and light transmission, with a parallax adjustment coming as close as 11 yards. The integrated PTL (Power Throw Lever) makes power changes fast and easy. The performance available in such a compact size makes the **NX8 2.5-20x50 F1** a perfect choice for your favorite semi-auto precision rifle or compact bolt-action rifle.

Features of the Nightforce NX8 2.5-20x50 F1 Riflescope

- 8x zoom range, 2.5x to 20x magnification
- ED (Extra-low Dispersion) glass for superior image quality
- Compact length at 12.0"
- ZeroStop elevation adjustment for rapid and easy return to zero
- Integrated PTL (Power Throw Lever)
- Locking diopter adjustment

SPECIFICATIONS

Scope Length:	12"
Magnification Range:	2.5-20x
Scope Objective Diameter:	50mm
Scope Tube Size / Mount:	30mm
Scope Turret Adjustment:	0.25 MOA
Reticle Position:	First Focal Plane
Field of View:	41.8 - 7ft @ 100yds 13.9 - 2.3m @ 100m
Eye Relief:	3.44"
Illuminated Reticle:	yes
Scope Finish:	matte black
UPC	847362016702
MPN	C622



NIGHTFORCE NX8 2.5-20X50 TREMOR3 RIFLESCOPE C631

SKU C631-NF

DESCRIPTION

The **NX8 2.5-20x50 F1 riflescope** is an ultra-compact and capable riflescope. Building upon the legendary durability of the NXS family from Nightforce, the NX8 adds first focal plane performance with an 8x zoom range in a small package. This wide zoom range allows for fast engagements at close range along with the ability to detect, identify and engage targets at long range.

Other features include the ZeroStop elevation adjustment for a rapid return to zero. The 50mm objective is optimized for resolution and light transmission, with a parallax adjustment coming as close as 11 yards. The integrated PTL (Power Throw Lever) makes power changes fast and easy. The performance available in such a compact size makes the **NX8 2.5-20x50 F1** a perfect choice for your favorite semi-auto precision rifle or compact bolt-action rifle.

Features of the Nightforce NX8 2.5-20x50 F1 Riflescope

- 8x zoom range, 2.5x to 20x magnification
- ED (Extra-low Dispersion) glass for superior image quality
- Compact length at 12.0"
- ZeroStop elevation adjustment for rapid and easy return to zero
- Integrated PTL (Power Throw Lever)
- Locking diopter adjustment

SPECIFICATIONS

Scope Weight:	28.3 oz
Scope Length:	12"
Magnification Range:	2.5-20x
Scope Objective Diameter:	50mm
Scope Tube Size / Mount:	30mm
Scope Turret Adjustment:	0.1 mil per click
Reticle Position:	First Focal Plane
Field of View:	41.8 - 7ft @ 100yds 13.9 - 2.3m @ 100m
Eye Relief:	3.44"
Illuminated Reticle:	yes
Scope Finish:	matte black
UPC	847362017150
MPN	C631



NIGHTFORCE NX8 4-32X50 F2 .25 MOA MOAR-CF2D RIFLESCOPE C641

SKU C641-NF

DESCRIPTION

The **NX8 4-32x50 F2 Rifle scope** is a compact and capable long range riflescope. Building upon the legendary durability of the NXS family from Nightforce, the NX8 F2 brings second focal plane versatility to the NX8 lineup. This wide zoom range allows for fast engagements at close range along with the ability to detect, identify and engage targets at long range.

Other features include the ZeroStop elevation adjustment for a rapid return to zero. The 50mm objective is optimized for resolution and light transmission, with a parallax adjustment coming as close as 11 yards. An integrated PTL (Power Throw Lever) makes power changes fast and easy. The compact size and incredible capability of the **NX8 4-32x50 F2** makes it an instant favorite for nearly any rifle and intended use.

Features of the Nightforce NX8 4-32x50 F2 Rifle scope

- 8x zoom range, 4x to 32x magnification
- ED (Extra-low Dispersion) glass for superior image quality
- Compact length at 13.4"
- ZeroStop elevation adjustment for rapid and easy return to zero
- Capped windage adjustment
- Integrated PTL (Power Throw Lever)

- Locking diopter adjustment

SPECIFICATIONS

Scope Weight:	28.9 oz.
Scope Length:	13.5"
Magnification Range:	4-32x
Scope Objective Diameter:	50mm
Scope Tube Size / Mount:	30mm
Scope Turret Adjustment:	.250 MOA
Reticle Position:	Second Focal Plane
Field of View:	26 ft - 4.6 ft @ 100 yds
Eye Relief:	3.5"
Illuminated Reticle:	yes
Scope Finish:	matte black
UPC	847362018126
MPN	C641



NIGHTFORCE NX8 4-32X50 F2 .250 MOA MOAR-CF2D RIFLESCOPE C640

SKU C640-NF

DESCRIPTION

The **NX8 4-32x50 F2 Rifle scope** is a compact and capable long range rifle scope. Building upon the legendary durability of the NXS family from Nightforce, the NX8 F2 brings second focal plane versatility to the NX8 lineup. This wide zoom range allows for fast engagements at close range along with the ability to detect, identify and engage targets at long range.

Other features include the ZeroStop elevation adjustment for a rapid return to zero. The 50mm objective is optimized for resolution and light transmission, with a parallax adjustment coming as close as 11 yards. An integrated PTL (Power Throw Lever) makes power changes fast and easy. The compact size and incredible capability of the **NX8 4-32x50 F2** makes it an instant favorite for nearly any rifle and intended use.

Features of the Nightforce NX8 4-32x50 F2 Rifle scope

- 8x zoom range, 4x to 32x magnification
- ED (Extra-low Dispersion) glass for superior image quality
- Compact length at 13.4"
- ZeroStop elevation adjustment for rapid and easy return to zero
- Capped windage adjustment
- Integrated PTL (Power Throw Lever)

- Locking diopter adjustment

SPECIFICATIONS

Scope Weight:	28.9 oz.
Scope Length:	13.5"
Magnification Range:	4-32x
Scope Objective Diameter:	50mm
Scope Tube Size / Mount:	30mm
Scope Turret Adjustment:	.1 MRAD
Reticle Position:	Second Focal Plane
Field of View:	26 ft - 4.6 ft @ 100 yds
Eye Relief:	3.5"
Illuminated Reticle:	yes
Scope Finish:	matte black
UPC	847362018119
MPN	C640



NIGHTFORCE NX8 4-32X50 MIL-C C625

SKU C625-NF

DESCRIPTION

The **NX8 4-32x50 F1 Riflescope** is a compact and capable long range riflescope. Building upon the legendary durability of the NXS family from Nightforce, the NX8 adds first focal plane performance with an 8x zoom range in a small package. This wide zoom range allows for fast engagements at close range along with the ability to detect, identify and engage targets at long range.

Other features include the ZeroStop elevation adjustment for a rapid return to zero. The 50mm objective is optimized for resolution and light transmission, with a parallax adjustment coming as close as 11 yards. An integrated PTL (Power Throw Lever) makes power changes fast and easy. The compact size and incredible capability of the **NX8 4-32x50 F1** makes it an instant favorite for nearly any rifle and intended use.

Features of the Nightforce NX8 4-32x50 F1 Riflescope

- 8x zoom range, 4x to 32x magnification
- ED (Extra-low Dispersion) glass for superior image quality
- Compact length at 13.4"
- ZeroStop elevation adjustment for rapid and easy return to zero
- Capped windage adjustment
- Integrated PTL (Power Throw Lever)
- Locking diopter adjustment

SPECIFICATIONS

Scope Weight:	28.6 oz.
Scope Length:	13.4"
Magnification Range:	4-32x
Scope Objective Diameter:	50mm
Scope Tube Size / Mount:	30mm
Scope Turret Adjustment:	0.1 mil per click
Reticle Position:	First Focal Plane
Field of View:	26.1 - 4.6ft @ 100yds 8.7 - 1.5m @ 100m
Eye Relief:	3.4"
Illuminated Reticle:	yes
Scope Finish:	matte black
UPC	847362016733
MPN	C625



NIGHTFORCE NX8 4-32X50 MIL-XT RIFLESCOPE C634

SKU C634-NF

DESCRIPTION

The **NX8 4-32x50 F1 Rifle scope** is a compact and capable long range rifle scope. Building upon the legendary durability of the NXS family from Nightforce, the NX8 adds first focal plane performance with an 8x zoom range in a small package. This wide zoom range allows for fast engagements at close range along with the ability to detect, identify and engage targets at long range.

Other features include the ZeroStop elevation adjustment for a rapid return to zero. The 50mm objective is optimized for resolution and light transmission, with a parallax adjustment coming as close as 11 yards. An integrated PTL (Power Throw Lever) makes power changes fast and easy. The compact size and incredible capability of the **NX8 4-32x50 F1** makes it an instant favorite for nearly any rifle and intended use.

Features of the Nightforce NX8 4-32x50 F1 Rifle scope

- 8x zoom range, 4x to 32x magnification
- ED (Extra-low Dispersion) glass for superior image quality
- Compact length at 13.4"
- ZeroStop elevation adjustment for rapid and easy return to zero
- Capped windage adjustment
- Integrated PTL (Power Throw Lever)
- Locking diopter adjustment

SPECIFICATIONS

Scope Weight:	28.6 oz.
Scope Length:	13.4"
Magnification Range:	4-32x
Scope Objective Diameter:	50mm
Scope Tube Size / Mount:	30mm
Scope Turret Adjustment:	0.1 mil per click
Reticle Position:	First Focal Plane
Field of View:	26.1 - 4.6ft @ 100yds 8.7 - 1.5m @ 100m
Eye Relief:	3.4"
Illuminated Reticle:	yes
Scope Finish:	matte black
UPC	847362017181
MPN	C634



NIGHTFORCE NX8 4-32X50 MIL-XT RIFLESCOPE C634 LIKE NEW DEMO

SKU C634-NF_LN

DESCRIPTION

The **NX8 4-32x50 F1 Rifle scope** is a compact and capable long range rifle scope. Building upon the legendary durability of the NXS family from Nightforce, the NX8 adds first focal plane performance with an 8x zoom range in a small package. This wide zoom range allows for fast engagements at close range along with the ability to detect, identify and engage targets at long range.

Other features include the ZeroStop elevation adjustment for a rapid return to zero. The 50mm objective is optimized for resolution and light transmission, with a parallax adjustment coming as close as 11 yards. An integrated PTL (Power Throw Lever) makes power changes fast and easy. The compact size and incredible capability of the **NX8 4-32x50 F1** makes it an instant favorite for nearly any rifle and intended use.

Features of the Nightforce NX8 4-32x50 F1 Rifle scope

- 8x zoom range, 4x to 32x magnification
- ED (Extra-low Dispersion) glass for superior image quality
- Compact length at 13.4"
- ZeroStop elevation adjustment for rapid and easy return to zero
- Capped windage adjustment
- Integrated PTL (Power Throw Lever)

- Locking diopter adjustment

SPECIFICATIONS

Scope Weight:	28.6 oz.
Scope Length:	13.4"
Magnification Range:	4-32x
Scope Objective Diameter:	50mm
Scope Tube Size / Mount:	30mm
Scope Turret Adjustment:	0.1 mil per click
Reticle Position:	First Focal Plane
Field of View:	26.1 - 4.6ft @ 100yds 8.7 - 1.5m @ 100m
Eye Relief:	3.4"
Illuminated Reticle:	yes
Scope Finish:	matte black
UPC	847362017181
MPN	C634



NIGHTFORCE NX8 4-32X50 MOAR C624

SKU C624-NF

DESCRIPTION

The **NX8 4-32x50 F1 Riflescope** is a compact and capable long range riflescope. Building upon the legendary durability of the NXS family from Nightforce, the NX8 adds first focal plane performance with an 8x zoom range in a small package. This wide zoom range allows for fast engagements at close range along with the ability to detect, identify and engage targets at long range.

Other features include the ZeroStop elevation adjustment for a rapid return to zero. The 50mm objective is optimized for resolution and light transmission, with a parallax adjustment coming as close as 11 yards. An integrated PTL (Power Throw Lever) makes power changes fast and easy. The compact size and incredible capability of the **NX8 4-32x50 F1** makes it an instant favorite for nearly any rifle and intended use.

Features of the Nightforce NX8 4-32x50 F1 Riflescope

- 8x zoom range, 4x to 32x magnification
- ED (Extra-low Dispersion) glass for superior image quality
- Compact length at 13.4"
- ZeroStop elevation adjustment for rapid and easy return to zero
- Capped windage adjustment
- Integrated PTL (Power Throw Lever)
- Locking diopter adjustment

SPECIFICATIONS

Scope Weight:	28.6 oz
Scope Length:	13.4"
Magnification Range:	4-32x
Scope Objective Diameter:	50mm
Scope Tube Size / Mount:	30mm
Scope Turret Adjustment:	0.25 MOA
Reticle Position:	First Focal Plane
Field of View:	26.1 - 4.6ft @ 100yds 8.7 - 1.5m @ 100m
Eye Relief:	3.4"
Illuminated Reticle:	yes
Scope Finish:	matte black
UPC	847362016726
MPN	C624



NIGHTFORCE NX8 4-32X50 TREMOR3 RIFLESCOPE C633

SKU C633-NF

DESCRIPTION

The **NX8 4-32x50 F1 Rifle scope** is a compact and capable long range rifle scope. Building upon the legendary durability of the NXS family from Nightforce, the NX8 adds first focal plane performance with an 8x zoom range in a small package. This wide zoom range allows for fast engagements at close range along with the ability to detect, identify and engage targets at long range.

Other features include the ZeroStop elevation adjustment for a rapid return to zero. The 50mm objective is optimized for resolution and light transmission, with a parallax adjustment coming as close as 11 yards. An integrated PTL (Power Throw Lever) makes power changes fast and easy. The compact size and incredible capability of the **NX8 4-32x50 F1** makes it an instant favorite for nearly any rifle and intended use.

Features of the Nightforce NX8 4-32x50 F1 Rifle scope

- 8x zoom range, 4x to 32x magnification
- ED (Extra-low Dispersion) glass for superior image quality
- Compact length at 13.4"
- ZeroStop elevation adjustment for rapid and easy return to zero
- Capped windage adjustment
- Integrated PTL (Power Throw Lever)
- Locking diopter adjustment

SPECIFICATIONS

Scope Weight:	28.6 oz.
Scope Length:	13.4"
Magnification Range:	4-32x
Scope Objective Diameter:	50mm
Scope Tube Size / Mount:	30mm
Scope Turret Adjustment:	0.1 mil per click
Reticle Position:	First Focal Plane
Field of View:	26.1 - 4.6ft @ 100yds 8.7 - 1.5m @ 100m
Eye Relief:	3.4"
Illuminated Reticle:	yes
Scope Finish:	matte black
UPC	847362017174
MPN	C633

NX8 - 1-8x24mm F1 Capped

SKU: C654

Select Color



At only 8.75" in length and 17 ounces, the NX8™ 1-8X24 F1 is a powerful, compact, and lightweight riflescope. New for 2022, The NX8™ 1-8X24 F1 is now available with a capped elevation turret to ensure the elevation adjustment is not accidentally moved during transit or rough handling.

The NX8™ 1-8X24 F1 with capped elevation adjustment also includes our new FC-DMx reticle, previously only available in the ATACR 1-8×24 F1. The decreased center dot size (.2MRAD/.7MOA) allows for a more precise aiming point when at high magnification and the large (4 MRAD) segmented circle allows for a clear view of the target. Nightforce has maintained the daylight bright illumination that allows for use in any conditions at 1x or high magnification.

The NX8™ 1-8X24 F1 with a capped elevation adjustment and FC-DMx reticle is available in both Dark Earth and Black to give you color options when kitting out your favorite rifle.



- Rubber Lens Covers

- Cleaning Fob/ Cleaning Cloth
- Multi-Tool
- Power Throw Lever
- Stickers
- Owners Manual

Specifications

Magnification Range	1-8x
Focal Plane	First Focal Plane (F1/FFP)
Body Tube Diameter	30mm
Overall Length	8.7 in/222 mm
Mounting Length	5.7 in/144 mm
Weight	17.3oz/490g
Click Value	.2 MRAD
Internal Adjustment Range	E: 30 MRAD W: 30 MRAD
Parallax Adjustment	Fixed @ 125 m
Eye Relief	3.7 in/95 mm
Field of View @ 100 yd or m	1x: 106.0 ft/35.3 m 8x: 13.2 ft/4.4 m
Exit Pupil	1x: 7.9 mm 8x: 3.0 mm
Illumination	Daylight visible, Externally adjustable
Elevation Feature	Capped, finger-adjustable
Power Throw Lever	Standard

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	