

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	

Ruggedized Accessory Platform (RAP)

SKU: A428

Diameter

30mm

Our X-Treme Duty rings and bases are known for their ability to withstand a lifetime of abuse on large-caliber rifles. Our configurable ring top accessories build on this reputation by offering rugged accessory mounts for the additional equipment you need to augment your scope. The MultiMount system was designed to mount red dots for use as a close range sight in conjunction with a primary day optics. However, any accessory can be mounted to the 2 included 3-slot Mil. Std. 1913 rail sections, which can be mounted to the top or at a 45° angle on the MultiMount cap. The Ruggedized Accessory Platform (RAP) provides 4 inches of rail space above your riflescope for mounting accessories. The RAP is built to withstand heavy recoil and maintain the zero of mounted accessories. While the RAP is frequently used for weapon-mounted rangefinders, it can also be used to mount levels, data boards, and other devices for firearms with limited rail space. Both the MultiMount and RAP are designed to fit the four-screw and six-screw X-Treme Duty rings and Unimounts.



X-treme Duty MultiMount

SKU: A425

Diameter

30mm, 34mm

Our X-Treme Duty rings and bases are known for their ability to withstand a lifetime of abuse on large-caliber rifles. Our configurable ring top accessories build on this reputation by offering rugged accessory mounts for the additional equipment you need to augment your scope. The MultiMount system was designed to mount red dots for use as a close range sight in conjunction with a primary day optics. However, any accessory can be mounted to the 2 included 3-slot Mil. Std. 1913 rail sections, which can be mounted at 10, 12, and 2 o'clock on the MultiMount cap. The Ruggedized Accessory Platform (RAP) provides 4 inches of rail space above your riflescope for mounting accessories. The RAP is built to withstand heavy recoil and maintain the zero of mounted accessories. While the RAP is frequently used for weapon-mounted rangefinders, it can also be used to mount levels, data boards, and other devices for firearms with limited rail space. Both the MultiMount and RAP are designed to fit the four-screw and six-screw X-Treme Duty rings and Unimounts.





NIGHTFORCE 1.00 MEDIUM ULTRALITE RING SET A101

SKU A101-NF

DESCRIPTION

These **Nightforce** 1" medium height 30mm, 4 screw pattern UltraLite rings are lightweight and remarkably strong due to 7075-T6 hard anodized aluminum bodies and titanium beta crossbolts and jaws.

SPECIFICATIONS

MPN:	A101
UPC:	847362002934
UPC	847362002934
MPN	A101



NIGHTFORCE 1.125 HIGH ULTRALITE RING SET A107

SKU A107-NF

DESCRIPTION

These **Nightforce** 1.125" high height, 30mm, 4 screw pattern UltraLite rings are lightweight and remarkably strong due to 7075-T6 hard anodized aluminum bodies and titanium beta crossbolts and jaws.

SPECIFICATIONS

MPN:	A107
UPC:	847362002996
UPC	847362002996
MPN	A107



NIGHTFORCE 1.265 HIGH ULTRALITE RING SET A108

SKU A108-NF

DESCRIPTION

These **Nightforce** 1.265" intermediate height, 30mm, 4 screw pattern UltraLite rings are lightweight and remarkably strong due to 7075-T6 hard anodized aluminum bodies and titanium beta crossbolts and jaws.

SPECIFICATIONS

MPN:	A108
UPC:	847362003009
UPC	847362003009
MPN	A108



NIGHTFORCE 1.375 X-HIGH ULTRALITE RING SET A110

SKU A110-NF

DESCRIPTION

These **Nightforce** 1.375" X-high height, 30mm, 4 screw pattern UltraLite rings are lightweight and remarkably strong due to 7075-T6 hard anodized aluminum bodies and titanium beta crossbolts and jaws.

SPECIFICATIONS

MPN:	A110
UPC:	847362003023
UPC	847362003023
MPN	A110



NIGHTFORCE .885 LOW ULTRALITE RING SET A118

SKU A118-NF

DESCRIPTION

These **Nightforce** .885" low height, 30mm, 4 screw pattern UltraLite rings are lightweight and remarkably strong due to 7075-T6 hard anodized aluminum bodies and titanium beta crossbolts and jaws.

SPECIFICATIONS

MPN:	A118
UPC:	847362003108
UPC	847362003108
MPN	A118



NIGHTFORCE 30MM RING CAP BUBBLE LEVEL A128

SKU A128-NF

DESCRIPTION

Replaces the top ring of our Unimount, Direct Mount and standard rings without a Mil. Std. 1913 base. Available with integral ADI mount or as top ring/bubble level only. ****Fits 30mm Rings/Mounts only****

SPECIFICATIONS

MPN:	A128
UPC:	847362003207
UPC	847362003207
MPN	A128



NIGHTFORCE 1.5 EXTREME ULTRALITE RING SET A203

SKU A203-NF

DESCRIPTION

These **Nightforce** 1.5" extreme height, 30mm, 4 screw pattern UltraLite rings are lightweight and remarkably strong due to 7075-T6 hard anodized aluminum bodies and titanium beta crossbolts and jaws.

SPECIFICATIONS

MPN:	A203
UPC:	847362004495
UPC	847362004495
MPN	A203



NIGHTFORCE 1.00 MEDIUM 34MM ULTRALITE 6 BOLT RING SET A208

SKU A208-NF

DESCRIPTION

These **Nightforce** 1" medium height, 34mm, 6 screw pattern UltraLite rings are lightweight and remarkably strong due to 7075-T6 hard anodized aluminum bodies and titanium beta crossbolts and jaws.

SPECIFICATIONS

MPN:	A208
UPC:	847362005126
UPC	847362005126
MPN	A208



NIGHTFORCE 1.125 HIGH 34MM ULTRALITE 6 BOLT RING SET A210

SKU A210-NF

DESCRIPTION

These **Nightforce** 1.125" high height, 34mm, 6 screw pattern UltraLite rings are lightweight and remarkably strong due to 7075-T6 hard anodized aluminum bodies and titanium beta crossbolts and jaws.

SPECIFICATIONS

MPN:	A210
UPC:	847362005140
UPC	847362005140
MPN	A210



NIGHTFORCE 1.375 X-HIGH 34MM ULTRALITE 6 BOLT RING SET A214

SKU A214-NF

DESCRIPTION

These **Nightforce** 1.375" X-High height, 34mm, 6 screw pattern UltraLite rings are lightweight and remarkably strong due to 7075-T6 hard anodized aluminum bodies and titanium beta crossbolts and jaws.

SPECIFICATIONS

MPN:	A214
UPC:	847362005188
UPC	847362005188
MPN	A214



NIGHTFORCE 1.500 X-TREME 34MM ULTRALITE 6 BOLT RING SET A216

SKU A216-NF

DESCRIPTION

These **Nightforce** 1.5" X-Treme height, 34mm, 6 screw pattern UltraLite rings are lightweight and remarkably strong due to 7075-T6 hard anodized aluminum bodies and titanium beta crossbolts and jaws.

SPECIFICATIONS

MPN:	A216
UPC:	847362005201
UPC	847362005201
MPN	A216



NIGHTFORCE 1.00 MEDIUM 34MM ULTRALITE 4 BOLT RING SET A223

SKU A223-NF

DESCRIPTION

These **Nightforce** 1" medium height, 34mm, 4 screw pattern UltraLite rings are lightweight and remarkably strong due to 7075-T6 hard anodized aluminum bodies and titanium beta crossbolts and jaws.

SPECIFICATIONS

MPN:	A223
UPC:	847362005324
UPC	847362005324
MPN	A223



NIGHTFORCE 1.125 HIGH 34MM ULTRALITE 4 BOLT RING SET A224

SKU A224-NF

DESCRIPTION

These **Nightforce** 1.125" high height, 34mm, 4 screw pattern UltraLite rings are lightweight and remarkably strong due to 7075-T6 hard anodized aluminum bodies and titanium beta crossbolts and jaws.

SPECIFICATIONS

MPN:	A224
UPC:	847362005331
UPC	847362005331
MPN	A224



NIGHTFORCE 1.375 X-HIGH 34MM ULTRALITE 4 BOLT RING SET A226

SKU A226-NF

DESCRIPTION

These **Nightforce** 1.375" X-High height, 34mm, 4 screw pattern UltraLite rings are lightweight and remarkably strong due to 7075-T6 hard anodized aluminum bodies and titanium beta crossbolts and jaws.

SPECIFICATIONS

MPN:	A226
UPC:	847362005348
UPC	847362005348
MPN	A226



NIGHTFORCE 1.5 EXTREME 34MM ULTRALITE 4 BOLT RING SET A227

SKU A227-NF

DESCRIPTION

These **Nightforce** 1.5" X-Treme height, 34mm, 4 screw pattern UltraLite rings are lightweight and remarkably strong due to 7075-T6 hard anodized aluminum bodies and titanium beta crossbolts and jaws.

SPECIFICATIONS

MPN:	A227
UPC:	847362005355
UPC	847362005355
MPN	A227



NIGHTFORCE RING SET - .885 LOW - 30MM - ULTRALITE, 6 SCREW A264

SKU A264-NF

DESCRIPTION

These **Nightforce** .885" low height, 30mm, 6 screw pattern UltraLite rings are lightweight and remarkably strong due to 7075-T6 hard anodized aluminum bodies and titanium beta crossbolts and jaws.

SPECIFICATIONS

MPN:	A264
UPC:	847362006406
UPC	847362006406
MPN	A264



NIGHTFORCE RING SET - 1.0 MEDIUM - 30MM - ULTRALITE, 6 SCREW A265

SKU A265-NF

DESCRIPTION

These **Nightforce** 1" medium height, 30mm, 6 screw pattern UltraLite rings are lightweight and remarkably strong due to 7075-T6 hard anodized aluminum bodies and titanium beta crossbolts and jaws.

SPECIFICATIONS

MPN:	A265
UPC:	847362006413
UPC	847362006413
MPN	A265



NIGHTFORCE ULTRALITE 1.125 HIGH 30MM RING SET A266

SKU A266-NF

DESCRIPTION

These **Nightforce** 1.125" high height, 30mm, 6 screw pattern UltraLite rings are lightweight and remarkably strong due to 7075-T6 hard anodized aluminum bodies and titanium beta crossbolts and jaws.

SPECIFICATIONS

MPN:	A266
UPC:	847362006420
UPC	847362006420
MPN	A266



NIGHTFORCE RING SET - 1.265 INTERMEDIATE - 30MM - ULTRALITE, 6 SCREW A267

SKU A267-NF

DESCRIPTION

These **Nightforce** 1.265 intermediate height, 30mm, 6 screw pattern UltraLite rings are lightweight and remarkably strong due to 7075-T6 hard anodized aluminum bodies and titanium beta crossbolts and jaws.

SPECIFICATIONS

MPN:	A267
UPC:	847362006437
UPC	847362006437
MPN	A267



NIGHTFORCE RING SET - 1.375 X-HIGH - 30MM - ULTRALITE, 6 SCREW A268

SKU A268-NF

DESCRIPTION

These **Nightforce** 1.375" X-High height, 30mm, 6 screw pattern UltraLite rings are lightweight and remarkably strong due to 7075-T6 hard anodized aluminum bodies and titanium beta crossbolts and jaws.

SPECIFICATIONS

MPN:	A268
UPC:	847362006444
UPC	847362006444
MPN	A268



NIGHTFORCE RING SET - 1.5 X-TREME - 30MM - ULTRALITE, 6 SCREW A269

SKU A269-NF

DESCRIPTION

These **Nightforce** 1.5" X-Treme height, 30mm, 6 screw pattern UltraLite rings are lightweight and remarkably strong due to 7075-T6 hard anodized aluminum bodies and titanium beta crossbolts and jaws.

SPECIFICATIONS

MPN:	A269
UPC:	847362006451
UPC	847362006451
MPN	A269



NIGHTFORCE 34MM RING CAP BUBBLE LEVEL A270

SKU A270-NF

DESCRIPTION

Replaces the top ring of our Unimount, Direct Mount and standard rings without a Mil. Std. 1913 base. Available with integral ADI mount or as top ring/bubble level only. ****Fits 34mm Rings/Mounts only****

SPECIFICATIONS

MPN:	A270
UPC:	847362006956
UPC	847362006956
MPN	A270



NIGHTFORCE 34MM RING CAP BUBBLE LEVEL A272

SKU A272-NF

DESCRIPTION

Replaces the top ring of our Unimount, Direct Mount and standard rings without a Mil. Std. 1913 base. Available with integral ADI mount or as top ring/bubble level only. ****Fits 34mm Rings/Mounts only****

SPECIFICATIONS

MPN:	A272
UPC:	847362006970
UPC	847362006970
MPN	A272



NIGHTFORCE TOP HALF OF RING WITH LEVEL 30MM 6 SCREW A359|A359

SKU A359-NF

DESCRIPTION

This **Nightforce** Top Half of Ring with Level is 30mm and requires 6 screws.

SPECIFICATIONS

UPC	847362008776
-----	--------------

MPN	A359
-----	------

NIGHTFORCE STANDARD DUTY RING SET - 30MM - .9" LOW A416

SKU A416-NF

SPECIFICATIONS

MPN:	A416
UPC:	847362009445
UPC	847362009445
MPN	A416



NIGHTFORCE STANDARD DUTY RING SET - 30MM - 1" MED A417

SKU A417-NF

DESCRIPTION

Nightforce Rings are reliable and will allow for continued repeatability. Their durable construction allow them to be utilized on even the hardest recoiling guns.

SPECIFICATIONS

MPN:	A417
------	-------------

UPC:	847362009452
------	---------------------

UPC	847362009452
-----	---------------------

MPN	A417
-----	-------------

NIGHTFORCE STANDARD DUTY RING SET - 30MM - 1.25" HIGH A418

SKU A418-NF

DESCRIPTION

Nightforce Rings are reliable and will allow for continued repeatability. Their durable construction allow them to be utilized on even the hardest recoiling guns.

SPECIFICATIONS

MPN:	A418
------	-------------

UPC:	847362009469
------	---------------------

UPC	847362009469
-----	---------------------

MPN	A418
-----	-------------

NIGHTFORCE STANDARD DUTY RING SET - 30MM - 1.5" EXTRA HIGH A419

SKU A419-NF

DESCRIPTION

Nightforce Rings are reliable and will allow for continued repeatability. Their durable construction allow them to be utilized on even the hardest recoiling guns.

SPECIFICATIONS

MPN:	A419
UPC:	847362009476
UPC	847362009476
MPN	A419



NIGHTFORCE MULTIMOUNT 30MM A425|A425

SKU A425-NF

DESCRIPTION

The **Nightforce MultiMount** allows the mounting of multiple pieces of equipment onto one section of rings. This can be useful for adding a red dot sight as a back up or other device if the rail space is limited.

SPECIFICATIONS

UPC	847362012759
-----	--------------

MPN	A425
-----	------



NIGHTFORCE MULTIMOUNT 34MM A426

SKU A426-NF

DESCRIPTION

Originally designed as a rail segment and platform to integrate close-range sights with magnified optics, the **Nightforce MultiMount** offers far more versatility than just an additional rail segment.

Replacing the top half of an X-Treme Duty ring, the MultiMount allows placement of a 1913 rail at the 45° left, 45° right, and/or 90° up positions. Two rail sections accompany this hardware, as well as the mounting hardware.

Fits 34mm X-Treme Duty rings.

SPECIFICATIONS

MPN:	A426
UPC:	847362012766
Scope Tube Size / Mount:	34mm
UPC	847362012766
MPN	A426

Rail Accessory Platform - Improved (RAP-i)

SKU: A687

Select Color



Diameter

30mm, 34mm

The Nightforce Rail Accessory Platform – Improved (RAP-i) is designed for mounting Laser Range Finders (LRFs) above the front ring of the riflescope. The skeletonized, truss-like design allows for superior rigidity and point of impact retention of LRFs. The RAP-i includes the MultiMount™ ring cap that allows the RAP-i to be mounted on the Nightforce UltraMount™, Unimount™, 4-screw Xtreme Duty™ rings, and 6-screw Xtreme Duty™ rings. The RAP-i is available in 30mm and 34mm diameter and Dark Earth or Black anodized finishes.

Weight:

RAP-i with MultiMount cap: 3.9oz



X-Treme Duty™ - Steel Rings - 30mm

SKU: A117

Height

0.885", 1.0", 1.125", 1.375"

Made to our own stringent, uncompromising specifications. Designed to fit Mil. Std. 1913 bases, we machine a load-bearing recoil lug on the grade eight crossbolt. This lug precisely matches the machined cross lug of our Nightforce bases, providing perfect alignment and superior accuracy. Offered in four heights for 30mm diameter tubes.



X-Treme Duty™ - Ultralite™ Rings - 34mm (Titanium/Alloy)

SKU: A223

Select Color



Screw Count

4, 6

Height

1.0", 1.125", 1.375", 1.5"

Available in both four-screw and six-screw versions. Crafted of machined 7075-T6 hard anodized aluminum, with titanium crossbolts and jaws, they give you the performance of steel at half the weight. This unique construction provides strength well beyond that normally found in lightweight rings.

The four-screw ring will provide a lifetime of service for most applications. If you think you need 50% more clamping force, the six-screw Ultralite rings will hold your riflescope under any conceivable situation. Our Ultralite™ rings are offered in six heights for 30mm tubes and four heights to fit 34mm tubes.



По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	